



Hydraulic cutting tools

To cut the telephone cables, steel ropes, round bars, aluminum.
Hydraulic separate type of cutting tools : CPC-20A...

CPC-20A



CPC-32A




CPC-32B



CPC-40A



CPC-55A




CPC-55B



Characters:

1. It can be operated to cut on the electrical wire pole.
 2. CPC-40A FRP insulated bar 20kv/5min.
 3. It is specialized in cutting the separate type of steel wires and aluminum wires.
 4. CPC-100B, 85B, 32B, 55B matched with pump of CTE-25AS or CP-700.
 5. Packing has two : A. Canvas bag, B. Iron case.
 6. Razors are manufactured with high carbon alloy steel, which is specialized in cutting steel, aluminum wires HRC 65°.
- ※The blade of the razor is 45° and 5° ; if cutting ACSR, please use to 5°

CPC-85A



CPC-85B



CPC-100B



CPC-160B



CPC-400A



Figure for specification

※A : direct type ; B : separate type

Model	Output (tons)	Weight (kg)	Length (mm)	Wire rope			Round bar				Wire stands					Cable		
				6×7 Hemp-core (mm)	6×12 Hemp-core (mm)	6×19 Hemp-core (mm)	Soft Copper Bar (mm)	Soft Alu-minum Bar (mm)	Soft Steel Bar (mm)	Rein-forcing Bar (mm)	Bare Copper Strands (mm)	Bare Alu-minum Strands (mm)	ACSR (mm)	1×7 Guy Steel Wire Strands (mm)	1×9 Guy Steel Wire Strands (mm)	Tele- phone Gable CCP	Lead Sheath-ed Cable (Telephone Cable)	Under ground cable (mm)
CPC-20A	20	9.3	675	20	20	20	20	25	25	25	32	32	32	32	32	---	---	20
CPC-32A	20	9.3									32	32	32	32	32			32
CPC-32B	20	9.3									32	32	32	32	32			32
CPC-40A	6	6.5	630	16	16	16	16	16	16	16	20	20	38	20	20	---	---	31
CPC-55A	12	7.2	610	24	24	20	20	20	16	20	24	50	50	28	20	---	---	50
CPC-55B	10	6	300	24	24	20	20	20	16	20	24	50	50	28	20	---	---	50
CPC-85A	4	9.2	705	---	---	---	---	---	---	---	28	46	---	---	---	85	85	50
CPC-85B	4.5	4.5	456	---	---	---	---	---	---	---	28	46	---	---	---	85	85	50
CPC-100B	7.5	13.5	570	---	---	---	---	---	---	---	42	46	---	---	---	---	100	70
CPC-160B		60																
CPC-400A	6	6.5	630	20	20	20	16	16	16	16	30	20	38	20	20			41

Cable cutting tools

Hydraulic separate type of opener cable cutting tools: 325², 500²



Functions :

1. CC-32B+A, CC-50B+A the opener is 42mm ϕ and 52mm ϕ , easy to cutting operation in the distributed electricity tray.
2. Available to high pressure PE.IV cables, phone wires, for cutting quickly.
3. High carbon Tungsten alloy steel of razor is strong and heat treated HRC-65°.
4. To match with pump CTE-25AS, CP-700 series.
5. CC-32B, CC-50B hydraulic cylinder can be used with CC-104.

Figure for specification

Model	Name	Function		Output (ton)	Weight (kg)
		Cable ϕ mm	Specification		
CC-32B+A	Hydraulic cable cutting tool	D 32	400 ²	12	5
CC-50B+A	Hydraulic cable cutting tool	D 50	630 ²	12	6

*D is the diameter of cable.

Cable, steel ropes cutting tools

cable 10² ~ 500², round bars 5mm ϕ - 9mm ϕ , Steel ropes 9mm ϕ - 14mm ϕ

- Electric cables, aluminum wires for cutting, smooth blade, quickness; type: direct type, ratchet type.
- ▶ Specialize in cutting steel ropes, round bars, its handle is designed to be aluminum and iron tube, which are covered by PVC.
- ▶ Special material of Chromium vanadium steel with heat treatment the handle had been passed rust resisting treatment to be kept long time.

CC-22



CC-38



CC-60



CC-100



CC-250



CC-400



CC-500



RCC-325



CS-500



CS-520



SCC-60



SCC-200



Notice :

1. These tools specialized in cutting copper aluminum wire can not cut the steel ropes and round bars.
2. If want to cut steel wire rope, mild steel rod, please choose to use the tool of SCC-60, SCC-200.

Figure for specification

Model	Length (mm)	Weight (g)	Copper cable		Shears the ability
			DIN mm ²	AWG/MCM	
CC-22	163	190	25	#4	
CC-38	210	300	38	#2	
CC-60	238	510	60	#1/0	60mm ²
CC-100	315	700	100	#3/0	100mm ²
CC-250	600	1,700	250	500	250mm ²
CC-400	700	2,100	400	500	400mm ²
CC-500	800	2,900	500	1000	500mm ²
RCC-325	255	600	325	750	325mm ²
CS-500	280	1,000	500		400mm ²
CS-520	400	1,600	500	1000	500mm ²
SCC-60	310	700	mild steel rod 5mm ^φ \ steel rope 7mm ^φ		
SCC-200	600	1,700	mild steel rod 9mm ^φ \ steel rope 14mm ^φ		

*RCC-325, CS-520 are ratchet type and labor saving type, these items can not cut PE of insulated cable or iron steel materials.