

Hand type of compressed tools

Ratchet type and pushing type of machine principle action.

Terminal compressed: point type min 1.25², max. 150²;

hexagonal type min. 6², max. 150².

European DIN 1.5² ~ 150²

- ⦿ Bare terminal, insulated-compressed terminal, rigidly precise, it not easy fall off.
- ⦿ Compressed terminal have point type and hexagonal type(hexagonal one is positive at present)
- ⦿ Wonderful coating and rust resisting、good quality of Chromium Vanadium-steel and machine body manufactured by ISO 9002 of wax-removed precise cast factory.
- ⦿ Sincere heat treatment, the equipment of treatment controlled by computer comes from ISO 9002 company.

CT-8



CT-14



CT-25



CT-38S



CT-10,35




CT-38



CT-80,100



CYO-80A



CYO-150



CK-06,07




Figure for specification



Model	Name	Size(mm)	Weight(g)	Compressed standard DIN mm ²	Compressed
CT-8	Bare terminal pincer	270	480	1.5, 2.5, 6, 10	Point
CT-14	Bare terminal pincer	298	520	1.5, 2.5, 6, 10, 16	Point
CT-25	Bare terminal pincer	354	780	6, 10, 16, 25	Point
CT-38S	Bare terminal pincer	370	800	6, 10, 16, 25, 50	Hexagonal
CT-10	Bare terminal pincer	280	460	1.5, 2.5, 4, 6, 10	Hexagonal
CT-35	Bare terminal pincer			16, 25, 35, 50	Hexagonal
CT-38	Bare terminal pincer	575	3300	16, 25, 50	Point
CT-80	Bare terminal pincer	660	4340	16, 25, 35, 50-70, 95	Point
CT-100	Bare terminal pincer	660	4340	25, 35, 50-70, 95, 120	Point
CYO-80A	Open terminal pincer	570	3200	10, 16, 25, 35, 50, 70, 95, 120	Point
CYO-150	Open terminal pincer	670	3900	10, 16, 25, 35, 50, 70, 95, 120, 150	Point
CK-06	Hexagonal terminal pincer	650	3640	10, 16, 25, 35, 50, 70, 95, 120	Hexagonal
CK-07	Hexagonal terminal pincer	650	3640	25, 35, 50, 70, 95, 120, 150	Hexagonal

- One with many functional type of copper bending tool from copper row and hand too with many function. terminal compressed 16² ~ 95²...etc. of five functions.
- The design for die is changeable type.
- Easy to operate, only 3.1kg.
- Available to electricity distributed tray of engineering operation; easy to carry.
- Iron case for packing.

CYO-80D



CB-25



Dies specification	A	B	T/mm	Width
1	12	10	2m/m	24m/m
2	15	10	2m/m	
3	20	12	2m/m	
4	24	14	2m/m	

T : thickness


Dies specification	A	T/mm
	10	3m/m
	12	3m/m
	14	3m/m
	Width 24m/m	3m/m

Copper axis compressed tools

Telephone, computer, copper axis, compression, cutting, stripper, ratchet type of hand tools.

Hexagonal compression tightly, many specifications and functions, available to use in many occasions.

RG wire, UHF-BNC, TNC, SMA.



HT-106A.B.C



HT-106M




HT-230PA



HT-301A



HT-500R



HT-568



HT-568R



HT-26B




Wire stripper pincer series

HT-501

(copper axis stripper tool)



HT-1041G



HT-302A

(wire stripper)



Copper axis cutting stripper tool(R=Ratchet type)

Model	Name	Compressed standard mm ²	Remark / function
HT-106A.B.C	Copper axis compressed tool	Please ask for details	Hexagonal type
HT-106M	Copper axis compressed tool	Please ask for details	Hexagonal
HT-230PA	Copper axis compressed tool	Please ask for details	Hexagonal type
HT-301A	Copper axis compressed tool	Please ask for details	Hexagonal type
HT-500R	Telephone plug compressed tool	8P、6P RJ-45、12、11 PLUGS	Cutting, compression
HT-568	Telephone plug compressed tool	6P、4P RJ-45、12、11	Cutting, compression
HT-568R	Telephone plug compressed tool	6P、4P Ratchet type RJ-45、12、11	Cutting, compression
HT-26B	Telephone plug compressed tool	6P、6C/RJ-12, 6P、4C/RJ-11	Cutting, compression
HT-501	Cutting, stripper tool	3.5mm-9mm	Cutting, stripper
HT-1041G	Wire stripper tool	0.9 ² 、1.25 ² 、2.0 ² 、3.5 ² 、5.5 ²	Cutting, stripper
HT-302A	Wire stripper tool	Please refer the above	Cutting, stripper